



This drawing, specifications and concepts contained herein are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVIZIJS

DESCRIPTION



SHOP COPY



REVISIONS		DESCRIPTION		INITIAL APPROVED																																																																																																				
REV		DATE		INITIAL	APPROVED																																																																																																			
SHOP COPY																																																																																																								
																																																																																																								
<table border="1"> <thead> <tr> <th colspan="2">RED BARN MACHINE</th> <th colspan="2">BEARING PULLER</th> </tr> <tr> <th>(RB)</th> <th>TITLE</th> <th colspan="2"></th> </tr> </thead> <tbody> <tr> <td>T-8818804000</td> <td>REV</td> <td colspan="2"></td> </tr> <tr> <td>DWG NO.</td> <td>PG.</td> <td colspan="2"></td> </tr> <tr> <td>3</td> <td>2</td> <td colspan="2"></td> </tr> <tr> <td colspan="2">UNLESS OTHERWISE SPECIFIED</td> <td colspan="2">DRAWN BY: CLOUGH</td> </tr> <tr> <td colspan="2">DIMENSIONS ARE IN INCHES</td> <td colspan="2">APPROVED D. Weil</td> </tr> <tr> <td colspan="2">TOLERANCES ON:</td> <td colspan="2">FEAT. TREAT.</td> </tr> <tr> <td colspan="2">DECIMALS .XXX ± .005</td> <td colspan="2">FINISH</td> </tr> <tr> <td colspan="2">FRACTIONS ± 1/32</td> <td colspan="2">SPEC</td> </tr> <tr> <td colspan="2">ANGLES ± 5°</td> <td colspan="2">USED ON MODEL</td> </tr> <tr> <td colspan="2">1. BREAK ALL SHARP EDGES</td> <td colspan="2"></td> </tr> <tr> <td colspan="2">.015 X 45° PR 015 R</td> <td colspan="2"></td> </tr> <tr> <td colspan="2">2. DIMENSIONAL LIMITS APPLY AFTER PLATING</td> <td colspan="2"></td> </tr> <tr> <td>SCALE</td> <td>1:2</td> <td>DATE</td> <td>11/17/2011</td> </tr> <tr> <td colspan="4">SHEET 1 OF 9</td> </tr> </tbody> </table>						RED BARN MACHINE		BEARING PULLER		(RB)	TITLE			T-8818804000	REV			DWG NO.	PG.			3	2			UNLESS OTHERWISE SPECIFIED		DRAWN BY: CLOUGH		DIMENSIONS ARE IN INCHES		APPROVED D. Weil		TOLERANCES ON:		FEAT. TREAT.		DECIMALS .XXX ± .005		FINISH		FRACTIONS ± 1/32		SPEC		ANGLES ± 5°		USED ON MODEL		1. BREAK ALL SHARP EDGES				.015 X 45° PR 015 R				2. DIMENSIONAL LIMITS APPLY AFTER PLATING				SCALE	1:2	DATE	11/17/2011	SHEET 1 OF 9																																						
RED BARN MACHINE		BEARING PULLER																																																																																																						
(RB)	TITLE																																																																																																							
T-8818804000	REV																																																																																																							
DWG NO.	PG.																																																																																																							
3	2																																																																																																							
UNLESS OTHERWISE SPECIFIED		DRAWN BY: CLOUGH																																																																																																						
DIMENSIONS ARE IN INCHES		APPROVED D. Weil																																																																																																						
TOLERANCES ON:		FEAT. TREAT.																																																																																																						
DECIMALS .XXX ± .005		FINISH																																																																																																						
FRACTIONS ± 1/32		SPEC																																																																																																						
ANGLES ± 5°		USED ON MODEL																																																																																																						
1. BREAK ALL SHARP EDGES																																																																																																								
.015 X 45° PR 015 R																																																																																																								
2. DIMENSIONAL LIMITS APPLY AFTER PLATING																																																																																																								
SCALE	1:2	DATE	11/17/2011																																																																																																					
SHEET 1 OF 9																																																																																																								
<table border="1"> <thead> <tr> <th>ASSY QTY</th> <th>ASSY QTY</th> <th>B/O</th> <th>Part #</th> <th>UNIT QTY</th> <th>Description</th> <th>Material</th> <th>B/O INFORMATION OR SPECIFICATIONS</th> <th>PG.</th> </tr> </thead> <tbody> <tr> <td>X</td> <td>X</td> <td>-1</td> <td></td> <td>1</td> <td>PULLER ASSY.</td> <td></td> <td></td> <td>2</td> </tr> <tr> <td>X</td> <td>1</td> <td>-3</td> <td>/</td> <td>1</td> <td>HANDLE ASSY.</td> <td></td> <td></td> <td>3</td> </tr> <tr> <td>1</td> <td>1</td> <td>-5</td> <td>/</td> <td>1</td> <td>BOLT</td> <td>4140</td> <td>Ø7/8 X 3-3/16</td> <td>4</td> </tr> <tr> <td>1</td> <td>1</td> <td>-7</td> <td>/</td> <td>1</td> <td>BAR</td> <td>1018</td> <td>Ø3/8 X 4-7/8</td> <td>5</td> </tr> <tr> <td>1</td> <td>1</td> <td>-9</td> <td>/</td> <td>1</td> <td>CLAMP</td> <td>1018</td> <td>Ø2-1/4 X 1</td> <td>6</td> </tr> <tr> <td>2</td> <td>2</td> <td>-11</td> <td>/</td> <td>2</td> <td>JAW</td> <td>4140</td> <td>Ø2-3/4 X 3-1/16</td> <td>7</td> </tr> <tr> <td>1</td> <td>1</td> <td>-13</td> <td>/</td> <td>1</td> <td>WRENCH</td> <td>BRASS</td> <td>Ø1 X 1</td> <td>8</td> </tr> <tr> <td>1</td> <td>1</td> <td>-15</td> <td>/</td> <td>1</td> <td>RING</td> <td>1018</td> <td>Ø3-1/4 X 5/8</td> <td>9</td> </tr> <tr> <td>3</td> <td>3</td> <td>B/O</td> <td>-17</td> <td></td> <td>DOWEL PIN</td> <td>STEEL</td> <td>Ø3/32 X 5/8</td> <td>2</td> </tr> <tr> <td>#3</td> <td>#1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.	X	X	-1		1	PULLER ASSY.			2	X	1	-3	/	1	HANDLE ASSY.			3	1	1	-5	/	1	BOLT	4140	Ø7/8 X 3-3/16	4	1	1	-7	/	1	BAR	1018	Ø3/8 X 4-7/8	5	1	1	-9	/	1	CLAMP	1018	Ø2-1/4 X 1	6	2	2	-11	/	2	JAW	4140	Ø2-3/4 X 3-1/16	7	1	1	-13	/	1	WRENCH	BRASS	Ø1 X 1	8	1	1	-15	/	1	RING	1018	Ø3-1/4 X 5/8	9	3	3	B/O	-17		DOWEL PIN	STEEL	Ø3/32 X 5/8	2	#3	#1							
ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.																																																																																																
X	X	-1		1	PULLER ASSY.			2																																																																																																
X	1	-3	/	1	HANDLE ASSY.			3																																																																																																
1	1	-5	/	1	BOLT	4140	Ø7/8 X 3-3/16	4																																																																																																
1	1	-7	/	1	BAR	1018	Ø3/8 X 4-7/8	5																																																																																																
1	1	-9	/	1	CLAMP	1018	Ø2-1/4 X 1	6																																																																																																
2	2	-11	/	2	JAW	4140	Ø2-3/4 X 3-1/16	7																																																																																																
1	1	-13	/	1	WRENCH	BRASS	Ø1 X 1	8																																																																																																
1	1	-15	/	1	RING	1018	Ø3-1/4 X 5/8	9																																																																																																
3	3	B/O	-17		DOWEL PIN	STEEL	Ø3/32 X 5/8	2																																																																																																
#3	#1																																																																																																							
<p>This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine</p>																																																																																																								

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

SHOP COPY



RED BARN MACHINE

BEARING PULLER

TITLE

T-8818804000-1

REV

DWG NO.

T-8818804000-1

REV

DRAWN BY: CLOUGH
APPROVED D. West
HEAT TREAT FINISH
SPEC USED ON MODEL


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
TOLERANCES ON: DECIMALS XXX .006 FRACTIONS ± 1/32
XX .01 ANGLES ± 5°
X .1
UNLESS OTHERWISE SPECIFIED
1. BREAK ALL SHARP EDGES
0.015 X 0.015 PR. 0.015 R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING

SCALE 1:1 DATE 11/17/2011 SHEET 2 OF 9


This drawing specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine

SHOP COPY

REV	REF/COPY/15
DESCRIPN/4	
DATE	Initial APPROVED



(3)
HANDLE
ASSEMBLY




BEARING PULLER

RED BARN MACHINE	
TITLE	BEARING PULLER
DWG NO.	T-8818804000-3
REV	
UNLESS OTHERWISE SPECIFIED	DRAWN BY: CLOUGH
DIMENSIONS ARE IN INCHES	APPROVED <i>D West</i>
TOLERANCES ON:	HEAT TREAT FINISH
DECIMALS	FRACTIONS $\pm 1/32$
XXX $\pm .005$	ANGLES $\pm .5^\circ$
XX $\pm .01$	SPEC
X $\pm .1$	USED ON MODEL
	USED ON MODEL
1. BREAK ALL SHARP EDGES	
.015 X 45° PR. 015 R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE	1:1
DATE	11/17/2011
SHEET 3 OF 9	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

SHOP COPY


REV	Rev C
DESCRIPTION	POLYCARBIC
DATE	1/1/11
APPROVED	



RED BARN MACHINE	
TITLE	BEARING PULLER
DWG NO.	T-8818804000-5
REV	
UNLESS OTHERWISE SPECIFIED	DRAWN BY: CLOUGH
DIMENSIONS ARE IN INCHES	APPROVED D Weil
TOLERANCES ON:	HEAT TREAT FINISH
DECIMALS XXX ± .005	
XX ± .01	
X ± .1	
UNLESS OTHERWISE SPECIFIED	SPEC
1. BREAK ALL SHARP EDGES	USED ON MODEL
.015 X .65 PR .015 R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:1	DATE 11/17/2011
	SHEET 4 OF 9

This drawing, specifications, and concepts contained here in are the sole property of
Red Barn Machine, and may not be reproduced or used in any fashion without the
prior written permission of Red Barn Machine.

SHOP COPY






(-7)
BAR

RED BARN MACHINE	
TITLE	BEARING PULLER
DWG NO.	T-8818804000-7
UNLESS OTHERWISE SPECIFIED	DRAWN BY: CLOUGH
DIMENSIONS ARE IN INCHES	APPROVED <i>D. West</i>
TOLERANCES ON:	HEAT TREAT FINISH
DECIMALS	FRACTIONS $\pm 1/32$
.XXX $\pm .005$	ANGLES $\pm .5^\circ$
.XX $\pm .01$	
X $\pm .1$	
UNLESS OTHERWISE SPECIFIED	SPEC
1. BREAK ALL SHARP EDGES	USED ON MODEL
0.015 X 45° PR 0.015 R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:1	DATE 11/17/2011
	SHEET 5 OF 9

SHOP COPY

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.



RED BARN MACHINE

RB

BEARING PULLER

TITLE



T-8818804000-9

REV

DWG NO.	T-8818804000-9
UNLESS OTHERWISE SPECIFIED	DRAWN BY: CLOUGH
DIMENSIONS ARE IN INCHES	APPROVED <i>D West</i>
TOLERANCES ON:	HEAT
DECIMALS XXX ± .005	FINISH
XX ± .01	BLACK OXIDE
X ± .1	SPEC
UNLESS OTHERWISE SPECIFIED	USED ON MODEL
1. BREAK ALL SHARP EDGES	USED ON PLATING
.015 X 45° PR. .015 R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:1	DATE 11/17/2011
	SHEET 6 OF 9

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

SHOP COPY



REV	DESCRIPTION	REVISIONS	DATE	INITIAL	APPROVED
-----	-------------	-----------	------	---------	----------

REV

0

REVISIONS

DATE

INITIAL

APPROVED

REV

TITLE

BEARING PULLER

DRAWING NO.

T-8818804000-11

REV

UNLESS OTHERWISE SPECIFIED

DIMENSIONS ARE IN INCHES

TOLERANCES ON:

DECIMALS

FRACTIONS $\pm 1/32$

HEAT

TREAT

FINISH

BLACK OXIDE

SPEC

1. BREAK ALL SHARP EDGES

.015 X .45" PR .015 R

ANGLES $\pm 5^\circ$

USED ON MODEL

2. DIMENSIONAL LIMITS APPLY AFTER PLATING


SCALE

1:1

DATE



11/17/2011

SHEET 7 OF 9




This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

SHOP COPY



SECTION A-A

(-13)
WRENCH




RED BARN MACHINE

BEARING ASSY.

DWG NO.	T-8818804000-13	REV
UNLESS OTHERWISE SPECIFIED	DRAWN BY: CLOUGH	
DIMENSIONS ARE IN INCHES	APPROVED D Weil	
TOLERANCES ON:	HEAT TREAT	
DECIMALS .XXX ± .005	FINISH	
.XX ± .01	SPEC	
X ± .1	USED ON MODEL	
	1. BREAK ALL SHARP EDGES	
	.015 X .45 PR. 015 R	
	2. DIMENSIONAL LIMITS APPLY, AFTER PLATING	
SCALE	DATE 11/17/2011	SHEET 8 OF 9

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

SHOP COPY



(-15)
RING

RED BARN MACHINE	
TITLE	BEARING PULLER
DWG NO.	T-8818804000-15
REV	
UNLESS OTHERWISE SPECIFIED	DRAWN BY: CLOUGH
DIMENSIONS ARE IN INCHES	APPROVED <i>D. Weil</i>
TOLERANCES ON:	HEAT TREAT
DECIMALS	FINISH BLACK OXIDE
XXX ± .005	SPEC
XX ± .01	USED ON MODEL
X ± .1	
FRACTIONS ± 1/32	
ANGLES ± 5°	
UNLESS OTHERWISE SPECIFIED	
1. BREAK ALL SHARP EDGES	
.015 X 45° PR. 015 R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:1	DATE 11/17/2011
	SHEET 9 OF 9